



THE GREENHOUSE COLLECTION

Designed for Every Garden
From 4' wide to 12' wide

FULL RANGE BROCHURE
Everything You Need to Grow

FREESTANDING | LEAN-TO | DWARF WALL | BESPOKE | ACCESSORIES





WELCOME

Welcome to Elite.

For over 70 years, our family has been crafting greenhouses at our factory in Bolton, Lancashire—now proudly in its third generation.

Since we delivered our very first greenhouse in 1953, much has changed. But the things that matter most have stayed the same: our family values, our commitment to quality, and the care and attention we put into every greenhouse we make. It's this dedication that has kept Elite at the forefront of the UK greenhouse market for decades.

Every Elite greenhouse is designed by us—from the sleek, contemporary Edge to the timeless Craftsman, still as popular today as it was over 60 years ago. Each one is manufactured by our skilled local team and, in most cases, delivered by our own fleet, carefully hand-unloaded by friendly, professional drivers.

We offer the UK's largest range of aluminium greenhouses, including the Titan series—one of the strongest greenhouses money can buy. With a choice of 12 beautiful powder-coated colours, every greenhouse is built to combine lasting strength with elegant design.

Refined over seven decades, every Elite greenhouse is made using the finest materials and proven manufacturing techniques, right here in the UK. Backed by a 20-year guarantee and supported by a team who truly care, our greenhouses are built to last—and to be enjoyed for a lifetime.



20
YEAR
FRAME
GUARANTEE
T&C APPLY

We hope you enjoy exploring our range. Some images have been enhanced for illustrative purposes.

CONTENTS

4' WIDE GREENHOUSES	6
5' WIDE GREENHOUSES	10
6' WIDE GREENHOUSES	12
7' WIDE GREENHOUSES	32
8' WIDE GREENHOUSES	36
10' WIDE WIDE GREENHOUSE	56
12' WIDE GREENHOUSES	60
LEAN TO BUILDINGS	64
SMALL BUILDINGS	76
ICON LIBRARY	78 & 82
TITAN BAR INFO	80
PACKAGES	86
BESPOKE MODIFICATIONS	94

GLAZING & BAR CAPPING	102
BASES	104
HYBRID PANELS & PARTITIONS	108
POWDER COATING	110
EXTENSIONS	119
CONSTRUCTION	120
WHERE TO BUY	120
DELIVERY	121
TECHNICAL INFORMATION	122



NEW
FOR
2026

SANCTUARY

— BY ELITE —

For more
info see
pages
22 & 42

Image demonstrates
Sanctuary 8 10'x8' (Nominal). Integral Base, Willow, Full Sheet Toughened Glass,
Double Doors on the front and length, Shelving, Rainwater Kit & Water Barrel

Imagine a place where
light, greenery, and calm
coexist.

A space to slow down.

To breathe.

To reconnect with nature
and yourself.



6'3" WIDE
8'5" WIDE



UNLIMITED
LENGTHS



OUR
STRONGEST
FRAMEWORK

How would you use yours?



WELLBEING SPACE

A spacious environment for exercise, yoga or a place of peace and mindfulness.



RELAX AND CREATE

Take time out and have the perfect place to paint, draw or unwind and let yourself go.



LOSE YOURSELF

Whether it's a gripping novel or today's paper, the Sanctuary is a space to call your own.



CONNECT WITH NATURE

Rediscover calm as you watch butterflies dance and birds feed nearby.



REWARDS

The real joy comes from cooking with the herbs and vegetables grown with your own hands



Image demonstrates
Sanctuary 6'8"x6' (Nominal). Integral Base, Olive,
Full Sheet Toughened Glass, Double Doors on the front and length

Double doors on the front, rear or length – You decide

4'3" WIDE COMPACT


Unlimited lengths available from 4'5"



Image demonstrates
Compact 6'x4' (Nominal). Integral Base, Black, Full Sheet Toughened Glass,
Shelving, Staging, Seed Tray, Rainwater Kit & Water Barrel

The Compact and Maxim are perfectly sized for patios, roof terraces, and courtyards. Both are crafted to the same high quality—the key difference is that the Maxim features a taller eaves and door height, providing more space for taller plants on your staging and shelving, as well as a more comfortable working area for taller gardeners.

Both models feature an integral perimeter base with low threshold access that can be installed on any level, flat surface.



4'3" WIDE MAXIM

Unlimited lengths available from 4'5"

Taller
Eaves Height

GARDEN
CENTRE
EXCLUSIVE

Image demonstrates
Maxim 6'x4' (Nominal): Integral Base, Alloy,
Full Sheet Toughened Glass



Taller eaves and door height - customer is 6'2"



Image demonstrates
The Edge 400 8'x4' (Nominal), Integral Base, Black, Black Bar Capping,
Full Sheet Toughened Glass, Staging and Seed Tray Frame



THE EDGE 400

PREMIUM MODEL

4'5" WIDE


Unlimited lengths available from 8'5"

The contemporary Edge greenhouse features wide, low-threshold double doors and a generous ridge height, creating a spacious and airy feel. Manufactured with Titan bars throughout, it is one of the strongest aluminium greenhouses in the UK. Its sleek pent roof design ensures an excellent growing environment while providing a stylish space to relax and enjoy your garden.

The Edge 400 also features an integral perimeter base with low threshold access that can be installed on any level, flat surface.

Available in 4', 6' and 8' widths.

STANDARD FEATURES



EXTRAS



5'3" WIDE STREAMLINE

Unlimited lengths available from 4'5"



Image demonstrates
Streamline 6'x5' (Nominal), Integral Base, Green, Green Bar Capping
Toughened Safety Glass, Package,

We offer two 5' wide greenhouse options: the Streamline and the Delta—both family favourites for over 25 years. The Delta features taller eaves and a higher door height, providing extra growing space and more comfort for taller gardeners. Both models offer plenty of room for shelves, staging, and growing healthy, thriving plants. They also come with an integral perimeter base with low threshold access that can be installed on any level, flat surface.

Standard Features	Extras
--------------------------	---------------

5'3" WIDE DELTA

Unlimited lengths available from 4'5"

Taller
Eaves Height



GARDEN
CENTRE
EXCLUSIVE

Image demonstrates
Delta 6'x5' (Nominal), Integral Base, Olive, Olive Bar Capping
Toughened Safety Glass, Package, Seed Tray Frame

Yes, we really do mean 'unlimited lengths'
the possibilities are endless!



This model demonstrates.
Delta 40'x5' (Nominal), Integral Base, Berry, Internal Partition



PACKAGE
AVAILABLE
SEE PG 84

6'3" WIDE CRAFTSMAN

Unlimited lengths available from 4'5"





While change is good,
some traditions are worth keeping.

The Craftsman was the first 6' wide greenhouse we ever made, and its enduring popularity is a testament to its timeless design and durability. This traditional single-door greenhouse remains a classic, offering an excellent working environment, especially when staging and shelving are added. Loved by generations of gardeners for 70 years, the Craftsman continues to be a favourite choice for growers of all kinds.

The Craftsman also comes with an integral perimeter base with low threshold access that can be installed on any level, flat surface.



Image demonstrates
Craftsman 10' x 6' (Nominal), Integral Base, Black,
Full Sheet Toughened Glass, Package, Cresting & Finials



6'3" WIDE HIGH EAVE

Unlimited lengths available from 4'5"




Image demonstrates
High Eave 8'x6' (Nominal), Integral Base, Mocha,
Full Sheet Toughened Glass, Package



This model demonstrates.
High Eave 12'x6' (Nominal), Integral Base, Alloy, Full Sheet Toughened Glass

Standard Features



Extras





Image demonstrates
High Eave 8' x 6' (Nominal), Integral Base, Navy
Full Sheet Toughened Glass, Package

The High Eave features increased eaves and door height, creating a more spacious and comfortable working environment. As the tallest single-door greenhouse we manufacture, it offers generous headroom and ample space to move, grow, and work with ease. With the option to add shelving and staging, the only limit to what you can grow is your imagination. Each High Eave model includes an integral perimeter base with low-threshold access, allowing it to be installed on any level, flat surface.



Image demonstrates
Strata 8' x6' (Nominal), Integral Base, Linen,
Full Sheet Toughened Glass., customer own staging



Image demonstrates
Strata 8' x6' (Nominal), Integral Base, Green, Full Sheet Toughened Glass,
Package

The Strata boasts increased eaves and door height, creating a brighter, more spacious, and comfortable environment to work in. Designed to provide exceptional growing space, it also features a wide double-door entrance for easy access.

With generous headroom and plenty of room to move, grow, and work with ease, the Strata is as practical as it is versatile. Optional shelving and staging allow you to tailor the space to your needs — so the only limit to what you can grow is your imagination.

Every Strata model comes complete with an integral perimeter base and low-threshold access, enabling installation on any level, flat surface.

The Strata comes with double doors as standard for easy access and enhanced convenience.

6'3" WIDE STRATA

Unlimited lengths available from 4'5"


PACKAGE
AVAILABLE
SEE PG 84



GARDEN
CENTRE
EXCLUSIVE

Image demonstrates
Strata 8' x 6' (Nominal), Integral Base, Green,
Full Sheet Toughened Glass, Package

Standard
Features



Extras



6'3" WIDE GX600

Unlimited lengths available from 4'5"



Image demonstrates
GX600 8' x 6' (Nominal), Flat Cills, Alloy, Black Bar Capping
Full Sheet Toughened Glass, Staging, Aluminium Bladed Louvre



GX Double Doors



Image demonstrates
GX600 10'x6' (Nominal), Flat Cills, Alloy, Black Bar Capping
Full Sheet Toughened Glass, Customers own staging

Designed with flat cills, the GX Collection does not require a base. However, a hard standing platform is still necessary for installation

The GX series is available in two widths—6' and 8'—and is designed to be installed on a pre-built hard standing platform. With its extra-high eaves, double doors, and double roof vents, this spacious and airy greenhouse offers a professional growing environment. Standard features such as side louvres, bar capping, hanging basket rails, and a diamond shelf come together to create a strong, functional, and enjoyable work space.



PACKAGE
AVAILABLE
SEE PG 88



This model demonstrates.
Titan 600 8'x6' (Nominal), Integral Base, Green, Green Bar Capping,
Full Sheet Toughened Glass, Package



THE TITAN 600

PREMIUM MODEL

6'3" WIDE

Unlimited lengths available from 6'5"


The Titan 600 is our flagship 6' wide greenhouse and arguably the strongest aluminium greenhouse in the UK. Available in all our stunning colours and customizable to any length, it is built using the toughest, most durable components and backed by our 20-year guarantee.

Each Titan 600 comes equipped with 4mm toughened safety glass, cantilevers, a canopy seal, bar capping, roof vents, and a 10-blade louver, ensuring superior strength and performance. The Titan also comes with an integral perimeter base with low threshold access that can be installed on any level, flat surface. .

With a range of package options available, you can tailor your Titan to perfectly suit your needs. If you're looking for the ultimate in durability and peace of mind, the Titan 600 from Elite delivers—every time.

Titan 700 & 800 are also available

STANDARD FEATURES



EXTRAS



PACKAGE
AVAILABLE
SEE PG 90



This model demonstrates.
Sanctuary 6 8'x6' (Nominal), Integral Base, Alloy, Olive Bar Capping,
Full Sheet Toughened Glass, Double doors on the front and extra double doors in the length
Customers own staging



THE SANCTUARY 6

PREMIUM MODEL

6'3" WIDE

Unlimited lengths available from 6'5"

Imagine a place where light, greenery and calm exist in perfect harmony. Manufactured using Elite's renowned Titan bar throughout, the Sanctuary is one of the strongest aluminium greenhouses in the UK. Its extra-tall eaves height allows the double doors to be positioned either along the length beneath the gutter or at the front, offering excellent design flexibility.

Available in all of our stunning colours and made to your exact length requirements, the Sanctuary is crafted from exceptionally tough, durable components and backed by our 20-year guarantee.

Each Sanctuary 6 includes 4mm toughened safety glass, cantilevers, canopy seal, bar capping, automatic roof vents and two 5-blade louvres as standard. An integral perimeter base with low-threshold access allows installation on any level, flat surface.

With a package options available, the Sanctuary can be tailored to suit your needs, delivering exceptional strength, quality and peace of mind.

The Sanctuary 8 is also available

STANDARD FEATURES



EXTRAS



6'3" WIDE FEATURED DWARF WALL

Unlimited lengths available from 4'5"



Image demonstrates
Featured Dwarf Wall 8' x 6' (Nominal), Brick Base, White
White Bar Capping, Full Sheet Toughened Glass, Standard Rainwater Kit

The eaves height of the 6' wide featured dwarf wall greenhouse combines brickwork with aluminium and glazing for a seamless, elegant finish. Designed to fit perfectly onto a 762mm high dwarf wall, the single door drops into the wall opening, creating a low-threshold entry for easy access.


This model is finished with full-sheet toughened glass, roof vent(s), cantilevers throughout, and integral gutters for a professional and polished look. Additionally, all models can be powder-coated, making this greenhouse a standout feature in any garden.

The wall height can be modified—please consult your retailer or contact Elite for details.

CUSTOMER TO BUILD OWN BRICK BASE

Height of the wall can be modified. Please ask your retailer or Elite.

A Width.....	1912 mm
B Door Width.....	644 mm
C Brick Wall Height.....	762 mm
D Eaves Height	1492 mm
E Ridge Height.....	2325 mm



We will send you an official base plan.



Standard Features

Extras

6'3" WIDE THYME GLASS TO GROUND

Unlimited lengths available

Hoxne Horticultural Haven



Image demonstrates
Thyme 6 10' x 6' (Nominal), Integral Base, Alloy, Green, Green Bar Capping
Full Sheet Toughened Glass

12" Wide
Glass Panels




Image demonstrates
Thyme 6 12'x6 (Nominal), Integral Base, Alloy,
Olive Bar Capping, Full Sheet Toughened Glass, Customers own staging

Experience the charm of a Victorian-style 6' wide freestanding greenhouse with the Thyme 6 Glass to Ground. Featuring elegant 12" glazing sections, this classic design blends period aesthetics with modern functionality, offering ample space for today's growing needs.

Enhanced with crestings and finials, this timeless greenhouse is equipped with practical features, including roof vent(s), two louvre vents, a shelf, and cantilevers. Additional highlights such as integral gutters, and a lockable single door provide both convenience and style. The Thyme 6 also comes with an integral perimeter base with low threshold access that can be installed on any level, flat surface.

Available in unlimited lengths and in any of our powder-coated finishes, the Thyme 6 Glass to Ground is one of the most attractive freestanding aluminium greenhouses in its class.

Also available on a dwarf wall—see page 29 for details.



The 12" glazing sections create a timeless, elegant look with
classic Victorian charm

6'3" WIDE THYME DWARF WALL


Unlimited lengths available from 4'5"



Image demonstrates
Thyme 6 8'x6' (Nominal), Brick Base, White, White Bar Capping
Full Sheet Toughened Glass, Cresting & Finials

A Width.....	1912 mm
B Door Width.....	644 mm
C Brick Wall Height.....	762 mm
D Eaves Height	1492 mm
E Ridge Height.....	2325 mm

Add 205mm to the ridge (E) to accommodate
Cresting & Finials



We will send you an official base plan.



This model demonstrates: Thyme 8'x6' (Nominal), Brick Base, Berry,
Full Sheet Toughened Glass, Diamond staging, Crestings and Finials

A beautifully designed Victorian-style 6' wide greenhouse, featuring 12" glazing sections that create a timeless and elegant look while providing ample space for modern growing needs.

This period-style greenhouse, complete with crestings and finials, is enhanced with practical features such as roof vent(s), two louvre vents, a diamond shelf, and cantilevers. Additional highlights include integral gutters, and a lockable double door, combining classic charm with contemporary convenience.

CUSTOMER TO BUILD OWN BRICK BASE.
Elite will send you an official base plan




Image demonstrates
Thyme 6 6'x6' (Nominal), Brick Base, White, White Bar Capping
Full Sheet Toughened Glass, Diamond Staging, Cresting & Finials

Standard Features



Extras



20
YEAR
FRAME
GUARANTEE
T&C APPLY



This model demonstrates
The Edge 600 8'x6' (Nominal), Integral Base, Berry, Berry Bar Capping
Full Sheet Toughened Glass, customers own staging



THE EDGE 600

PREMIUM MODEL

6'3" WIDE


Unlimited lengths available from 8'5"

The contemporary Edge greenhouse features wide, low-threshold double doors and a generous ridge height, creating a spacious and airy feel. Manufactured with Titan bars throughout, it is one of the strongest aluminium greenhouses in the UK. Its sleek pent roof design ensures an excellent growing environment while providing a stylish space to relax and enjoy your garden.

The Edge 600 also comes with an integral perimeter base with low threshold access that can be installed on any level flat surface.

Available in 4', 6' and 8' widths.

STANDARD FEATURES



EXTRAS



7'5" WIDE VANTAGE

Unlimited lengths available

Image demonstrates
Vantage 10' x 7' (Nominal), Integral Base, Graphite, Graphite Bar Capping
Full Sheet Toughened Glass, Package



Image demonstrates
Vantage 10' x 7' (Nominal), Integral Base, Green,
Full Sheet Toughened Glass, Staging & Shelving

Step through the high and wide double doors of the impressive 7' wide Vantage, and you'll immediately appreciate the generous working space it offers. With ample room for shelves, staging, and storage, this greenhouse is the perfect choice when you need a spacious growing area but can't accommodate a wider structure.

The Vantage also comes with an integral perimeter base with low threshold access that can be installed on any level flat surface




Image demonstrates
Vantage 16' x 7' (Nominal), Integral Base, Alloy, Full Sheet Toughened Glass,
Internal Partition, Standard Rainwater Kit

GARDEN
CENTRE
EXCLUSIVE

Standard Features



Extras



PACKAGE
AVAILABLE
SEE PG 88



Image demonstrates
Titan 700 8' x 7' (Nominal), Integral Base, Olive, Olive Bar Capping
Full Sheet Toughened Glass, Staging & Shelving, Rainwater Kit

20
YEAR
FRAME
GUARANTEE
T&C APPLY

THE TITAN 700

PREMIUM MODEL

7'5" WIDE

Unlimited lengths available from 8'5"


The Titan 700 is our flagship 7' wide greenhouse and arguably the strongest aluminium greenhouse in the UK. Available in all our stunning colours and made to any length, it is built using the toughest, most durable components and backed by our 20-year guarantee.

Each Titan 700 comes equipped with 4mm toughened safety glass, cantilevers, a canopy seal, bar capping, roof vents, and a 10-blade louvre, ensuring superior strength and performance. The Titan 700 also comes with an integral perimeter base with low threshold access that can be installed on any level flat surface.

With a range of package options available, you can tailor your Titan to perfectly suit your needs. If you're looking for the ultimate in durability and peace of mind, the Titan 700 from Elite delivers—every time.

Titan 600 & 800 are also available

STANDARD FEATURES



EXTRAS



PACKAGE
AVAILABLE
SEE PG 84

8'5" WIDE BELMONT

Unlimited lengths available from 4'5"

This model demonstrates
Belmont 12'x8' (Nominal), Double Door, Integral Base, Stone,
Full Sheet Toughened Glass, 5 Blade Louvre, Shelf

UPGRADE TO
DOUBLE
DOORS



Extras







This model demonstrates Belmont 6'x8' (Nominal), Single Door, Integral Base, Olive, Full Sheet Toughened Glass, Seed Tray Frame

The enduring success of the Belmont over the past 70 years speaks for itself—this 8' wide greenhouse remains a family favourite. As our original 8' wide design, its timeless appeal lies in its versatility, offering an optional double-door opening, partitions, and a wide range of accessories to create a spacious and thriving growing environment for your plants.

The Belmont also comes with an integral perimeter base with low threshold access that can be installed on any level flat surface



This model demonstrates Belmont 4'x8' (Nominal), Single Door, Integral Base, Olive, Olive Bar Capping, Full Sheet Toughened Glass

8'5" WIDE GX800

Unlimited lengths available from 4'5"



This model demonstrates
GX800 10'x8' (Nominal), Flat Cills, Green, Green Bar Capping,
Full Sheet Toughened Glass, Package, Crestings & Finials

Standard
Features



Extras



GX Double Doors

Taller
Eaves Height

GARDEN
CENTRE
EXCLUSIVE

This model demonstrates
GX800 12'x8' (Nominal), Flat Cills, Alloy, Black Bar Capping,
Full Sheet Toughened Glass, Package

Designed with flat cills, the GX Collection does not require a base. However, a hard standing platform is still necessary for installation

The GX series comes in 6' and 8' widths and is designed for installation on a pre-built hard standing base. Extra-high eaves, double doors, and twin roof vents create a spacious, well-ventilated growing environment. Features including side louvres, bar capping, hanging basket rails, and a diamond shelf provide a strong, practical, and enjoyable work space.



GX Vented Kick Plate (Optional)



This model demonstrates
Titan 800 10'x8' (Nominal), Integral Base, Alloy, Black Bar Capping,
Full Sheet Toughened Glass



20
YEAR
FRAME
GUARANTEE

T&C APPLY

PREMIUM MODEL

Unlimited lengths available from 8'5"


The Titan 800 is our flagship 7' wide greenhouse and arguably the strongest aluminium greenhouse in the UK. Available in all our stunning colours and made to any length, it is built using the toughest, most durable components and backed by our 20-year guarantee.

Each Titan 800 comes equipped with 4mm toughened safety glass, cantilevers, a canopy seal, bar capping, roof vents, and a 10-blade louvre, ensuring superior strength and performance. The Titan 800 also comes with an integral perimeter base with low threshold access that can be installed on any level flat surface

With a range of package options available, you can tailor your Titan to perfectly suit your needs. If you're looking for the ultimate in durability and peace of mind, the Titan 800 from Elite delivers—every time.

Titan 600 & 700 are also available

STANDARD FEATURES



EXTRAS



PACKAGE
AVAILABLE
SEE PG 90



This model demonstrates
Sanctuary 8 10'X8' (Nominal), Integral Base, Willow, Willow Bar Capping,
Full Sheet Toughened Glass, Double doors on the front and extra double doors in the length
Package, customers own water barrel



THE SANCTUARY 8

8'5" WIDE

Unlimited lengths available from 6'5"

PREMIUM MODEL

Imagine a place where light, greenery and calm exist in perfect harmony. Manufactured using Elite's renowned Titan bar throughout, the Sanctuary is one of the strongest aluminium greenhouses in the UK. Its extra-tall eaves height allows the double doors to be positioned either along the length beneath the gutter or at the front, offering excellent design flexibility.

Available in all of our stunning colours and customisable to any length, the Sanctuary is built from the toughest, most durable components and backed by our 20-year guarantee.

Each Sanctuary 6 includes 4mm toughened safety glass, cantilevers, canopy seal, bar capping, automatic roof vents and two 5-blade louvres as standard. An integral perimeter base with low-threshold access allows installation on any level, flat surface.


With a package options available, the Sanctuary can be tailored to suit your needs, delivering exceptional strength, quality and peace of mind.

The Sanctuary 6 is also available

STANDARD FEATURES



EXTRAS




8'5" WIDE FEATURED DWARF WALL


Unlimited lengths available





This model demonstrates
Featured Dwarf Wall 8'x8' (Nominal), Brick Base, Black, Black Bar Capping,
Full Sheet Toughened Glass, Crestings & Finials, Shelf & Staging



This model demonstrates
Featured Dwarf Wall 10'x8' (Nominal), Brick Base, White, White Bar Capping,
Full Sheet Toughened Glass, Crestings & Finials, Staging



A Width.....	2570 mm
B Door Width.....	955 mm
C Brick Wall Height.....	762 mm
D Eaves Height	1662 mm
E Ridge Height.....	2552 mm



The eaves height of the 6' wide featured dwarf wall greenhouse combines brickwork with aluminium and glazing for a seamless, elegant finish. Designed to fit perfectly onto a 762mm high dwarf wall, the single door drops into the wall opening, creating a low-threshold entry for easy access.

This model is finished with full-sheet toughened glass, roof vent(s), cantilevers throughout, and integral gutters for a professional and polished look. Additionally, all models can be powder-coated, making this greenhouse a standout feature in any garden.

The wall height can be modified—please consult your retailer or contact Elite for details.

CUSTOMER TO BUILD OWN BRICK BASE
Elite will send you an official base plan

8'5" WIDE THYME GLASS TO GROUND

Unlimited lengths available from 4'5"

12" Wide
Glass Panels

Image demonstrates

Thyme 8 10' x 8' (Nominal), Integral Base, White, White Bar Capping
Full Sheet Toughened Glass





Experience the charm of a Victorian-style 8' wide freestanding greenhouse with the Thyme 6 Glass to Ground. Featuring elegant 12" glazing sections, this classic design blends period aesthetics with modern functionality, offering ample space for today's growing needs.

Enhanced with crestings and finials, this timeless greenhouse is equipped with practical features, including roof vent(s), two louvre vents, a shelf, and cantilevers.

Available in unlimited lengths and in any of our powder-coated finishes, the Thyme 8 Glass to Ground is one of the most attractive freestanding aluminium greenhouses in its class. The Thyme also comes with an integral perimeter base with low threshold access that can be installed on any level flat surface

Also available on a dwarf wall—see page 49 for details.



8'5" WIDE THYME DWARF WALL

Unlimited lengths available

This model demonstrates Thyme Dwarf Wall 10'x8' (Nominal), Brick Base, White, White Bar Capping, Full Sheet Toughened Glass, Crestings & Finials, Customers own staging

A beautifully designed Victorian-style 8' wide greenhouse, featuring 12" glazing sections that create a timeless and elegant look while providing ample space for modern growing needs.

This period-style greenhouse, complete with crestings and finials, is enhanced with practical features such as roof vent(s), two louvre vents, a diamond shelf, and cantilevers. Additional highlights include integral gutters, a built-in base with low-threshold access, and a lockable double door, combining classic charm with contemporary convenience.

CUSTOMER TO BUILD OWN BRICK BASE
Elite will send out an official base plan.

Standard Features



Extras




Brick Wall Height 762mm



This model demonstrates
Thyme Dwarf Wall 12'x8' (Nominal), Brick Base,
Berry, Berry Bar Capping, Full Sheet Toughened Glass,
Crestings & Finials

A Width..... 2570 mm
B Door Width..... 955 mm
C Brick Wall Height..... 762 mm
D Eaves Height 1662 mm
E Ridge Height..... 2552 mm

Add 205mm to the ridge (E) to
accommodate Cresting & Finials



This model demonstrates: Thyme Dwarf Wall 8'x8' (Nominal),
Brick Base, Olive, Olive Bar Capping,
Full Sheet Toughened Glass, Crestings & Finials



This model demonstrates
The Edge 800 16'x8' (Nominal), Integral Base, Mocha, Mocha Bar Capping,
Full Sheet Toughened Glass & Twin Wall Polycarbonate Roof

20
YEAR
FRAME
GUARANTEE
T&C APPLY

THE EDGE 800

PREMIUM MODEL

8'5" WIDE

Unlimited lengths available from 8'5"


The contemporary Edge greenhouse features wide, low-threshold double doors and a generous ridge height, creating a spacious and airy feel. Manufactured with Titan bars throughout, it is one of the strongest aluminium greenhouses in the UK. Its sleek pent roof design ensures an excellent growing environment while providing a stylish space to relax and enjoy your garden.

Complete with toughened safety glass and a twin-wall polycarbonate roof for durability and insulation.

The Edge 800 also comes with an integral perimeter base with low threshold access that can be installed on any level flat surface

Available in 4', 6' and 8' widths.

STANDARD FEATURES



EXTRAS





This model demonstrates
The Zenith 12'x8' (Nominal), Integral Base, Stone, Stone Bar Capping,
Full Sheet Toughened Glass, Crestings & Finials, Staging & Shelvings

20
YEAR
FRAME
GUARANTEE
T&C APPLY

THE ZENITH 800

8'5" WIDE

Unlimited lengths available from 8'5"

PREMIUM MODEL


The Zenith is an outstanding 8' wide greenhouse with a towering 10'3" ridge height, creating a completely unique growing space unlike any other in our range. Its impressive height is perfect for taller produce and allows for exceptional airflow.

Built from the same monstrous aluminium bar as our Titan models, the Zenith includes many of the same premium features while introducing its own unique gutter and rainwater kit to efficiently collect water from its expansive roof.

With automated roof vents for effortless ventilation, crestings and finials for a striking finish, this statement greenhouse is designed to impress and perform.

Standard features include 4mm toughened safety glass, cantilevers, a canopy seal, bar capping, roof vents, and a 10-blade louvre, ensuring unmatched strength, durability, and growing potential. The Zenith also comes with an integral perimeter base with low threshold access that can be installed on any level flat surface.

STANDARD FEATURES



EXTRAS






THE ZENITH IS
MANUFACTURED USING
OUR TITAN BAR—THE
STRONGEST ALUMINIUM
BAR WE PRODUCE—
ENSURING UNMATCHED
DURABILITY AND STABILITY.




Double Doors



Cantilevers



Automatic roof vent opener



Crestings & Finials



10 Blade Louvre

20
YEAR
FRAME
GUARANTEE
T&C APPLY

ZENITH STANDARD FEATURES

8'5" WIDE

Unlimited lengths available from 8'5"



Integral Base



Canopy Seal



Extra wide integral gutters



Cambered Cill



Rainwater Kit



Bar Capping



Lockable

OPTIONAL POWDER COATING AVAILABLE IN 10 BEAUTIFUL COLOURS 57







This model demonstrates
Supreme 14'x10' (Nominal), Integral Base, Alloy, Green Bar Capping
Full Sheet Toughened Glass, Customers own staging

If you have space for a 10' wide greenhouse, the Supreme offers a serious working area to expand your hobby. This classically designed greenhouse provides ample growing space and, with our range of accessories, combines functionality with elegant, tasteful design to enhance any garden setting.

As an optional extra, Elite offer an integral base with dropped doors on the Supreme.
Alternatively you can build a brick base to the exact specification.
Please see technical information on page 122 for measurements.

STANDARD FEATURES	      						
	      						

EXTRAS	      						
	      						



20
YEAR
FRAME
GUARANTEE
T&C APPLY

As an optional extra, Elite offers an integral base with dropped doors on the Titan 1000.
Alternatively, a brick base can be built to exact specifications—see page 122 for technical details.

This model demonstrates
TWO Titan 1000 20'x10' (Nominal), Brick Base, Brown,
Bar Capping Brown, Full Sheet Toughened Glass,

TITAN 1000

10'5" WIDE

Unlimited lengths available from 8'5"

PREMIUM MODEL

If you have the room for a 10' greenhouse, then you will want the best. Enter the Titan 1000, our flagship 10' model and arguably the strongest aluminium greenhouse in the UK. These imposing buildings, available in any length and in all our range of colours, built using only the toughest, most durable components available, covered by our 20 year guarantee and arrive with 4mm toughened safety glass, cantilevers, canopy seal, bar capping, roof vents and a 10 blade louvre in the box. If you want the peace of mind that you have bought the best, then the Titan 1000 from Elite delivers every time.

STANDARD FEATURES



EXTRAS



12'5" WIDE CLASSIQUE

Unlimited lengths available


The Classique offers an imposing yet serene space to cultivate plants and unwind. Step through the grand double doors into a flexible growing environment where partitions can create distinct climate zones for different plants. With ample room for shelving and staging, it provides extensive space to work, store, and grow—all while making a timeless statement in any garden.

As an optional extra, Elite offers an integral base with dropped doors on the Classique.

Alternatively, a brick base can be built to exact specifications—see page 122 for technical details.



STANDARD FEATURES



EXTRAS





This model demonstrates
Classique 20'x12' (Nominal), Integral Base with drop doors, Mocha, Mocha Bar Capping
Internal Partition, Staging, Full Sheet Toughened Glass, Staging

As an optional extra, Elite offers an integral base with dropped doors on the Titan 1200. Alternatively, a brick base can be built to exact specifications—see page 122 for technical details.



This model demonstrates
Titan 1200 22'x12' (Nominal), Brick Base
Graphite, Graphite Capping, Internal Partition, Full Sheet Toughened Glass,
Crestings & Finials Additional 5 blade Louvre vents

20
YEAR
FRAME
GUARANTEE
T&C APPLY

TITAN 1200


PREMIUM MODEL

12'5" WIDE


Unlimited lengths available from 8'5"

If you have the room for a 12' greenhouse, then you will want the best. Enter the Titan 1200, our flagship 12' model and arguably the strongest aluminium greenhouse in the UK. These imposing buildings, available in any length and in all our range of colours, built using only the toughest, most durable components available, covered by our 20 year guarantee and arrive with 4mm toughened safety glass, cantilevers, canopy seal, bar capping, roof vents and a 10 blade louvre in the box. If you want the peace of mind that you have bought the best, then the Titan 1000 from Elite delivers every time

STANDARD FEATURES



EXTRAS





*Where home and
garden come
together*



Bring your Garden Closer to Home

Elegant, space-saving design that transforms any wall into a thriving growing space.

A lean-to greenhouse creates a natural extension of your home, blending seamlessly with its surroundings while providing the ideal environment for year-round growing.

The Lean-to collection is available in four widths, with unlimited length options and a wide choice of features and colours.

Perfect for:

- * Courtyards & patios
- * Kitchen gardens
- * Smaller outdoor spaces
- * Compliment your shed or garage

2'3" WIDE EASYGROW

Unlimited lengths available from 4'5"



This model demonstrates.
EasyGrow 8'x2' (Nominal), Separate 5" tall aluminium base, Alloy ,
Full Sheet Toughened Safety Glass, Double front doors, Rainwater Kit

STANDARD
FEATURES



Perfect size building
to attach to your
garden shed

EXTRAS





This model demonstrates.
EasyGrow 12'x2' (Nominal), Separate 5" tall aluminium base,
Alloy, Full Sheet Toughened Safety Glass,
Customers own staging, 2 Single Doors

Ideal when space is at a premium, the EasyGrow maximizes growing potential without compromising on quality or features.

The EasyGrow is the perfect introduction to greenhouse gardening, offering maximum growing potential in a compact space with minimal investment—without compromising on quality. The EasyGrow comes complete with a 'Z' cill which must over hang brick/ timber / aluminium or similar

Despite its smaller footprint, it comes packed with standard features including roof vent(s), sliding door(s), and integral gutters.

Door Combination

4' Long - 1 Single Door

6' Long - 1 Single Central Door

8' Long - Central Double Doors

10' Long - 2 Single Doors

12' Long - 2 Single Doors



This model demonstrates.
EasyGrow 6'x2' (Nominal), Separate base,
Brown, Full Sheet Toughened Safety Glass

4'4" WIDE WINDSOR LEAN TO

Unlimited lengths available from 4'5"



This model demonstrates.
Windsor 10'x4' (Nominal), 5" Tall separate aluminium base,
Navy, Full sheet toughened glass, Package

The low-height Windsor Lean-to is perfect for attaching to a shed or garage, with its reduced ridge height allowing for more placement options around the garden.

The single door can be fitted on either gable end for added flexibility.

The Windsor comes complete with a 'Z' cill which must overhang brick/timber/ aluminium or similar



This model demonstrates.
Windsor 4'x4' (Nominal), Alloy, Horticultural Glass,
5" Separate aluminium base

Low height ridge
ideal for sheds




This model demonstrates.
Windsor 6'x4' (Nominal), 5" Alloy Bases, Toughened Safety Glass, Olive

If you're having trouble fitting your
Lean-To greenhouse beneath a
window or around a soil pipe, our
flat cill option could be
the perfect solution.
See page 104 for more details

STANDARD
FEATURES



EXTRAS



This model demonstrates. Windsor 6'x4' (Nominal), Olive,
Flat Cills, Full Sheet Toughened Safety Glass

KENSINGTON 4

4'4" WIDE

Unlimited lengths available from 4'5"




This model demonstrates.
Kensington 4 6'x4' (Nominal), 5'Tall Aluminium Base, Mocha, Full Sheet Toughened Glass
Single Door in the right hand gable and single door in the front



The Kensington 4 features an elegant and timeless design that can be manufactured to any length. This versatile lean-to includes roof vent(s), integral gutters, and a variety of accessories and options to enhance your space

The Kensington comes complete with 'Z' cill which must over hang brick/timber/aluminium or similar

For safety reasons, toughened glass must be used if your lean-to cover an entrance



Door Combination
6' Long - Single Door in the left gable,
right gable or front.

8' Long + Single Door in the left gable, right gable or front. Double Doors can also be fitted on the front




This model demonstrates. Kensington 6 6'x6' (Nominal),
Door dropped into aluminium base, Graphite, Graphite Bar Capping,
Full Sheet Toughened Glass, Single Door in the front

The Kensington 6 features an elegant and timeless design that can be manufactured to any length. This versatile lean-to includes roof vent(s), integral gutters, and a variety of accessories and options to enhance your space

The Kensington comes complete with 'Z' cill which must over hang brick/timber/aluminium or similar

For safety reasons, toughened glass must be used if your lean-to cover an entrance



Door Combination

6' Long - Single Door in the left gable, right gable or front.

8' Long + Single Door in the left gable, right gable or front.

Double Doors can also be fitted on the front





20
YEAR
FRAME
GUARANTEE
T&C APPLY

This model demonstrates.
Titan K800 10'x8' (Nominal), Flat Cills, Green, Green Bar Capping, Full Sheet Toughened Glass
Double Doors in the left hand gable, customers own staging



TITAN K800

PREMIUM MODEL

8'5" WIDE

Unlimited lengths available from 8'5"


The K800 is our flagship Lean-to range and arguably the strongest aluminium Lean-to in the UK. Fully customised, available in all our range of colours and to any length, built using only the toughest, most durable components available, covered by our 20 year guarantee and arrives with 4mm toughened safety glass, cantilevers, canopy seal, 8' diamond shelf, roof vents and a 5 blade louvre.

Built from flat cills, no base is required on the K800, allowing for a sleek and professional finish which is complimented by tall 3'9" wide double doors which can be fitted on either gable or on the front.

STANDARD FEATURES



EXTRAS





MIN E LITE

This model demonstrates. Min E Lite 4'5" x 2'4", Alloy, with 2 Sliding Vents




Integral Gutter



This model demonstrates. Window Garden, Alloy, with single sliding door and extra tray

WINDOW GARDEN

Ideal for modern urban living, the Window Garden can attach to a wall or shed



- A 5'1 1/2" (1560mm)
- B 1'5 1/2" (440mm)
- C 4' (1210mm)
- D 1'7" (480mm)

DOOR

Height x Width
3'8 1/2" x 11" (1130 x 280mm)
Length
3'10" (1170mm)

STANDARD FEATURES




EXTRAS



The Min E Lite has all the characteristics and strength of an Elite Greenhouse, packaged into a small but might grow house. Made from extruded aluminium making it strong yet light weight.

- ✓ Pitched roof to boost natural light
- ✓ Built in gutter to collect the rainwater
- ✓ Available in 3 sizes - 4'x2'; 6'x2'; 8'x2' (nominal)
- ✓ Sliding vents

Ideal for hardening off tender young plants, creating a patio herb garden, or adding to your existing greenhouse



This model demonstrates.
Min E Lite 6'5" x 2'4",
Olive, Olive Bar Capping with 3 Sliding Vents

STANDARD FEATURES



EXTRAS



ICON LIBRARY....

To help you navigate the variety of features, the Icon Library allows you to easily identify which features come as standard or as optional extras across our range of buildings



Elite's unique half round integral gutters not only strengthen the greenhouse but also provides an excellent way to collect rainwater when used with a rainwater kit.



The integral base provides a perfect fit, with doors 'dropped' into the base for a ground-level threshold, ensuring easy access. Colour-coded to match your greenhouse, it offers versatility by fitting directly onto both soft and solid foundations.



Every Elite greenhouse includes at least one manual roof vent as standard, with larger models featuring additional vents for optimal airflow.



Double roof vents provide enhanced ventilation, exclusive to the GX model.



A 5-blade louvre vent is an excellent way to promote air circulation, drawing fresh air in from the side and encouraging airflow at different levels. Louvre size varies between models.



Elite offers both single and double sliding doors, designed to glide smoothly with a built-in heavy-duty door skid and brush draught excluders. Width and height vary by model—see page 122 for details.



For peace of mind, your greenhouse can be securely locked.




Door handles make entering your greenhouse effortless.





The 'Z' cill option features an aluminium extrusion that must overhang brick, timber, or a similar base for proper installation.



Bar Capping provides a stronger hold for the glass against the frame, while the rubber fin enhances the water seal and conceals unsightly clips for a cleaner finish.



We offer three glazing options to suit various budgets, safety requirements, and aesthetic preferences: Horticultural Glass, Toughened Safety Glass, and Twin Wall Polycarbonate.




Cast aluminium crestings and finials provide a beautiful decorative finish while also helping to deter cats and birds.



The Diamond 2-slat shelf is perfect for extra growing space. Designed to hold a standard seed tray, it's also a convenient spot for essential growing tools.



24" cantilever braces are used in the roof and/or sides to provide extra strength to larger buildings.



Hanging basket rails are highly practical, featuring pre-drilled holes for tie-up supports, tool storage, or drying herbs.



Internal partitions allow you to create two separate growing environments within the same structure, optimizing conditions for different plants.



Elite uses only the highest quality materials, including high tensile bolts that are scientifically tested to be 2.5 times stronger than standard aluminium bolts. Stainless steel clips prevent rust, while neoprene beading provides a cushioned fit for the glass.



Any greenhouse, in any size, can be powder coated in one of our 12 beautiful colours.



THE TITAN BAR

OUR STRONGEST GREENHOUSE

An advanced frame design with increased aluminium content, enabling us to manufacture an exceptionally thick and robust aluminium bar - significantly stronger than leading competitors



INCREASED ALUMINIUM CONTENT
For superior structural strength.




THICKER, REINFORCED GLAZING BARS
For maximum durability.



DESIGNED TO WITHSTAND
HARSH AND UNPREDICTABLE WEATHER CONDITIONS



MODERN, STREAMLINED DESIGN
Without compromising performance.



TITAN GLAZING BAR



STANDARD GLAZING BAR



BUILT FOR GROWERS WHO DEMAND STRENGTH,
RELIABILITY, AND LONG-TERM PERFORMANCE.



EXCEPTIONALLY THICK AND ROBUST

Added strength
where it matters.
Stronger, durable,
built to last

DURABILITY AND ELEGANCE

Perfect for spaces
exposed to the
elements



ENGINEERED
FOR STRENGTH



BUILT TO WITHSTAND
EXTREME WEATHER



DESIGNED FOR LONG
TERM PERFORMANCE



PREMIUM QUALITY
YOU CAN TRUST

TITAN ICON LIBRARY....

To help you navigate the variety of features, the Icon Library allows you to easily identify which features come as standard or as optional extras across the Titan buildings



Elite's unique half-round integral gutter not only strengthens the greenhouse but also provides an excellent way to collect rainwater when used with a rainwater kit.



The integral base provides a perfect fit, with doors 'dropped' into the base for a ground-level threshold, ensuring easy access. Colour-coded to match your greenhouse, it offers versatility by fitting directly onto both soft and solid foundations.




Every Elite greenhouse includes at least one manual roof vent as standard, with larger models featuring additional vents for optimal airflow.



Louvre widths vary between models



5 & 10 blade louvres promote excellent air circulation by drawing fresh air in from the side of the greenhouse and encouraging multi-level airflow.



Seamless corner joints and coloured nut caps included with every powder-coated greenhouse.



Double sliding doors operate smoothly with built-in heavy-duty door skids and precision brush draught excluders.



The canopy seal enhances weather protection by sealing the ridge and vent against the elements.



For added security, you can lock your greenhouse.



Door handles provide a smooth and effortless entry into the greenhouse.






The "Z" cill option features an aluminium extrusion designed to overhang brick, timber, or similar foundations.



We offer two glazing options for the Titan range: 4mm Toughened Safety Glass or 6mm Twin-Wall Polycarbonate.



Bar capping enhances glass retention, providing a secure fit against the frame. The rubber fin improves water sealing while also concealing unsightly clips for a cleaner finish.



The Titan is constructed entirely with our Titan bar—our strongest and most durable framework.



The Diamond 2-slat shelf provides extra growing space, perfectly fitting a standard seed tray while keeping essential growing tools within easy reach.



24" cantilever braces reinforce the roof and sides, adding extra strength and stability to larger buildings.



Internal partitions allow you to create distinct growing environments within a single structure, optimizing conditions for different plants.



Elite uses only the highest quality materials. Our high-tensile bolts are scientifically tested to be 2.5 times stronger than standard aluminium bolts. Stainless steel clips prevent rust, while neoprene beading provides a cushioned, secure fit for the glass.



Any greenhouse, in any size, can be powder-coated in one of our 12 stunning colours.



STANDARD GREENHOUSE PACKAGES

To make selecting your greenhouse easier, our packages bundle essential accessories to maximize your purchase. Offering great value, each package includes carefully selected features alongside the standard specifications of each model—all for a single, convenient price.

HORTICULTURAL GLASS AS STANDARD
Upgrade to Toughened Safety Glass



4'3" WIDE COMPACT



4'3" WIDE MAXIM



5'3" WIDE STREAMLINE



5'3" WIDE DELTA



6'3" WIDE CRAFTSMAN



6'3" WIDE HIGH EAVE



6'3" WIDE STRATA



7'5" WIDE VANTAGE



8'5" WIDE BELMONT
WITH DOUBLE DOOR

Four easy steps

1 Choose the model that best suits your space and needs

2 Decide how long you want it to be

3 Pick your glass

4 Do you want it powder coated?



5 Blade Louvre



Automatic Louvre Opener



Automatic Roof Vent Opener



Image demonstrates
7 Slat Diamond Staging, 3 Slat Diamond Shelf




Image demonstrates
5 Slat Diamond Staging, 2 Slat Diamond Shelf



Standard Rainwater Kit



Grow Hooks (pkt 6)

PACKAGE INCLUDES:

- One 5 Blade Louvre
- Automated Louvre Opener
- Automatic Roof Vent Opener
- Standard Rainwater kit
- Grow hooks (pkt 6)
- Diamond slat shelf to length
- Diamond slat staging to length

	2 Slat	3 Slat	5 Slat	7 Slat
Compact	✓	✓		
Maxim	✓	✓		
Streamline	✓		✓	
Delta	✓		✓	
Craftsman	✓		✓	
High Eave	✓		✓	
Strata	✓		✓	
Vantage	✓			✓
Belmont	✓			✓

OPTIONAL UPGRADES:

- * Full Sheet Toughened Glass
- * Convert the standard rainwater kit to a connecting gutter kit.
- * Powder coat in 12 beautiful colours



GX GREENHOUSE PACKAGES

To make selecting your greenhouse easier, our packages bundle essential accessories to maximize your purchase. Offering great value, each package includes carefully selected features alongside the standard specifications of each model—all for a single, convenient price.

TOUGHENED SAFETY GLASS AS STANDARD



6'3" WIDE GX600



8'5" WIDE GX800

Three easy steps

1 Choose the model that best suits your space and needs

2 Decide how long you want it to be

3 Do you want it powder coated?

Toughened Safety Glass as Standard



Bayliss MK7 Auto Roof Vent Opener



Automatic Louvre Opener

PACKAGE INCLUDES:

TWO Automated Louvre Opener
Automatic Roof Vent Opener
Standard Rainwater kit
Grow hooks (pkt 6)
Diamond slat shelf to length
Diamond slat staging to length



Image demonstrates
7 Slat Diamond Staging, 3 Slat Diamond Shelf



Standard Rainwater Kit



Image demonstrates
5 Slat Diamond Staging, 2 Slat Diamond Shelf



Grow Hooks (pkt 6)

	2 Slat	3 Slat	5 Slat	7 Slat
GX600	✓		✓	
GX800	✓			✓

OPTIONAL UPGRADES:

- * Convert the standard rainwater kit to a connecting gutter kit.
- * Powder coat in 12 beautiful colours



TITAN GREENHOUSE PACKAGES

To make selecting your greenhouse easier, our packages bundle essential accessories to maximize your purchase. Offering great value, each package includes carefully selected features alongside the standard specifications of each model—all for a single, convenient price.

4mm TOUGHENED SAFETY GLASS AS STANDARD



6' 3" WIDE TITAN 600



7' 5" WIDE TITAN 700



8' 5" WIDE TITAN 800

Three easy steps

Choose the model that best suits your space and needs

Decide how long you want it to be

Do you want
it powder
coated?

4mm
Toughened
Safety Glass
as standard



Automatic Louvre Opener




Image demonstrates
7 Slat Diamond Staging, 3 Slat Diamond Shelf




Image demonstrates
5 Slat Diamond Staging, 2 Slat Diamond Shelf



Bayliss MK7 Auto Roof Vent Opener



Standard Rainwater Kit



Grow Hooks (pkt 6)

PACKAGE INCLUDES:

Automated Louvre Opener
Automatic Roof Vent Opener
Standard Rainwater kit
Grow hooks (pkt 6)
Diamond slat shelf to length
Diamond slat staging to length

	2 Slat	3 Slat	5 Slat	7 Slat
Titan 600	✓		✓	
Titan 700	✓			✓
Titan 800	✓			✓

OPTIONAL UPGRADES:

* Convert the standard rainwater kit to a connecting gutter kit.

* Powder coat in 12 beautiful colours



SANCTUARY GREENHOUSE PACKAGES

Alongside the Sanctuary's extensive standard features, Elite provide an optional accessories package. Each package includes a carefully selected range of essentials, designed to maximise your greenhouse



4mm Toughened Safety Glass
as Standard



Image demonstrates
Sanctuary 8 10'x8' (Nominal) Package, Graphite,
Double Doors on the front

6'3" WIDE & 8'5" WIDE

SANCTUARY

INCLUDING ONE SET OF DOUBLE DOORS

Double doors on the
front, rear or side
You decide

THREE EASY STEPS

1



Choose the model width

2



Choose your length

3



Choose your colour

PACKAGE INCLUDES



Automatic louvre opener



Diamond 2 slat shelf to the length



Diamond 5 slat staging to the length
Sanctuary 6 only



Diamond 7 slat staging to the length
Sanctuary 8 only




Grow hooks (pkt 6)



Diamond 2 Slat Shelf, 7 Slat Staging



Automatic Louvre Opener



Diamond 2 Slat Shelf, 5 Slat Staging



Standard Rainwater Kit



Grow Hooks (pkt 6)

OPTIONAL UPGRADES



12 beautiful powder coating colours



Extra set of double doors




Rainwater connecting gutter kit

WINDSOR LEAN TO PACKAGE

To make selecting your lean to easier, our packages bundle essential accessories to maximize your purchase. Offering great value, the package includes carefully selected features alongside the standard specifications of the model—all for a single, convenient price.

HORTICULTURAL GLASS AS STANDARD
Upgrade to Toughened Safety Glass

Image demonstrates
Windsor 8'x4' (Nominal) Package, Green



Four easy steps

1 Choose the model that best suits your space and needs

2 Decide how long you want it to be

3 Pick your glass

4 Do you want it powder coated?



5 Blade Louvre



Automatic Roof Vent Opener




Image demonstrates
5 Slat Diamond Staging, 2 Slat Diamond Shelf



5" Separate Aluminium Base



Standard Rainwater Kit



Grow Hooks (pkt 6)

PACKAGE INCLUDES:

- One 5 Blade Louvre
- Automated Louvre Opener
- Automatic Roof Vent Opener
- Lean to Rainwater kit
- Grow hooks (pkt 6)
- 5" Aluminium Base
- Diamond slat shelf to length
- Diamond slat staging to length

OPTIONAL UPGRADES:

- * Full Sheet Toughened Glass
- * Powder coat in 12 beautiful colours





Varying Wall Height



Varying Wall Height



Double doors on the length of the greenhouse

DROP DOOR

A drop door modification is used when an Elite building's overall height needs to be increased. The customer first builds a brick wall to their desired height, leaving a threshold for the door(s). A full height greenhouse is then constructed on top, with the cambered drop door ensuring a seamless, professional finish and easy access.



Extra Tall Lean to



Varying wall height and double doors on the front



BESPOKE

What sets Elite apart is our ability to tailor a greenhouse to your specific needs. While all our models can be made to unlimited lengths, we also offer bespoke designs to fit unique or uneven outdoor spaces. Every garden is different, so you shouldn't be restricted by standard sizes. With Elite, your growing potential is only limited by your imagination.

Get in touch with us to explore your options!

R-TYPE GREENHOUSE

Unlimited lengths available




Streamline, R-Type 4'x6' (Nominal), Olive, Full Sheet Toughened Glass

A WIDTH	B LENGTH (Coming out from the wall)
The R-Type width depends on which freestanding greenhouse model you choose. Choose any model from pages 8 - 59.	Unlimited lengths starting from 2'3"

The R-Type concept allows you to transform any of our freestanding greenhouse models into a space-saving lean-to by removing the rear section and securing the framework to a wall, shed, or garage using wall bars. This anchoring method enhances the structure's strength while maximizing available space by utilizing an existing wall.

Simply select your preferred freestanding model—retaining all its features, including colour options, glazing, and accessories—and we'll modify it by removing the rear section for seamless integration with your chosen structure.



Supreme R-Type 14' x 10' (Nominal), Dwarf Wall, White, Full Sheet Toughened Glass



Kensington 6 R-Type Special size 11'x6' (Nominal), Alloy, Horticultural Glass

R-TYPE LEANTO

Unlimited lengths available

Using the same principle as the R-Type greenhouse, simply select the Lean-To model that best suits your needs. All standard features, including colour, glazing options, and accessories, remain available. The chosen gable end is then removed, allowing the Lean-To to be anchored against two walls—ideal for compact spaces like courtyards or L-shaped areas, creating a practical and stylish outdoor structure.


You can omit the left or right hand gable.



Kensington 6 R-Type 10'x6' (Nominal), Flat Cill, Green, Horticultural Glass

A WIDTH (coming out from the wall)	B LENGTH
EASYGROW 2'3" (700mm)	from 4'5"
WINDSOR 4'4" (1320mm)	from 6'6"
KENSINGTON 4 4'4" (1320mm)	from 6'5"
KENSINGTON 6 6'4" (1940mm)	from 6'5"
TITAN K800 8'4" (2535mm)	from 6'5"

You can omit the left or right hand gable (must specify).



Don't forget, you can have an R-Type on any greenhouse or Lean-To, including the Titan.



"High winds
and we're still
growing...
bring it on!"



"Sunday afternoon
when my granddaughter
comes around and we
are in the greenhouse
is my favourite time
of the week."



"A place where I find
myself when I
need to lose myself"



"2nd place in
best of show...
I'll have that
trophy next
year!"





Anyone can grow

You don't need to be a gardener to enjoy the benefits of a greenhouse!

Whether it's a fun family activity—teaching children the joy of growing their own food—or cultivating fresh herbs to enhance your cooking, a greenhouse brings rewarding experiences to all ages. It can also be a relaxing hobby, providing a space to nurture plants, fruits, and vegetables.

More than just a place to grow, a greenhouse creates opportunities to share meaningful moments with the people who matter most.



"A great company. They really know their products and answered my technical query in minutes."



GLAZING MATERIAL
BAR CAPPING
HYBRID PANEL
INTERNAL PARTITIONS
POWDER COATING
BASES
EXTENSIONS
CONSTRUCTION
WHERE TO BUY
DELIVERY
TECHNICAL



USEFUL INFORMATION

GLAZING MATERIAL

Elite offers three glazing options: Horticultural Glass, Toughened Safety Glass, and Twin Wall Polycarbonate. When selecting your glazing, consider factors such as budget, safety, and appearance. Here's some helpful information to guide your decision.

HORTICULTURAL GLASS

Horticultural glass has traditionally been used in greenhouses due to its affordability. It is 3mm thick, with standard panes measuring 610mm x 610mm. The panes overlap and are secured with overlap clips, while spring and wire clips hold the glass within the glazing bars.

Over time, algae and moss can accumulate at the overlaps, making cleaning more challenging. Additionally, if broken, horticultural glass shatters into large, sharp shards, posing a potential safety risk.



HORTICULTURAL GLASS
Breaks into large shards which can be dangerous.

FULL SHEET TOUGHENED SAFETY GLASS

Elite exclusively uses top-grade A toughened safety glass, manufactured to EN12150 standards. Supplied in full-length sheets, it provides a neater finish, eliminates overlapping panes, reduces drafts, and makes cleaning easier.

For added safety, especially if you have children, pets, or live in an urban area, we recommend upgrading to toughened safety glass. In the event of breakage, it granulates into small, harmless pieces, minimizing the risk of injury. Additionally, the edges are bevelled for safer handling during installation.

Elite offers both 3mm and 4mm thick toughened safety glass, depending on the model.

4mm Toughened Safety Glass is standard on all Titan models.



TOUGHENED SAFETY GLASS
Breaks into small granules which is less likely to cause injury.

POLYCARBONATE GLAZING

Elite offers 6mm thick twin-wall polycarbonate, UVI-treated for durability. Like toughened safety glass, it comes in full-length sheets, making it a great option for homes with children and pets.

To maintain clarity and longevity, the edges are sealed with silvered tape, preventing bugs, mildew, and moisture from entering between the panes. The seal helps protect against water ingress, which could freeze in colder temperatures and cause the panes to split.




Remember, when handling any type of glass, extreme care must be taken, as it is highly fragile before installation.

Always protect your hand and eyes - especially when handling the edges. We strongly recommend wearing safety goggles and gloves for added protection



Standard Frame without Bar Capping




Standard Frame with Bar Capping

BAR CAPPING

Q: Do I need bar capping?

A: Bar capping is optional, as your greenhouse glass can be secured with the appropriate glazing clips provided. However, bar capping offers a stronger hold, a better water seal with its rubber fin, and a neater finish by concealing the clips. If your greenhouse is in an exposed location, we strongly recommend bar capping for added security. It is available in 12 beautiful colours.

Bar capping comes as standard on the GX and many Titan models—please refer to the technical information at the end of the brochure.



Q: How is bar capping fitted?

A: The capping is easily secured with colour-coded screws, ensuring a seamless finish without any unsightly silver screw heads on display.

Q: Can I use bar capping on overlapping/horticultural glass?

A: We don't recommend it, as the bar capping would need to be cut at every overlapping point, compromising the clean and seamless finish it provides.

Choose from
12 Irresistible
Colours



GREEN



OLIVE



WILLOW



WHITE



LINEN



STONE



MOCHA



BROWN



GRAPHITE



BLACK



NAVY



BERRY

BASES

Do I need a base?

Below is a brief description of each cill arrangement we manufacture. Refer to the key on page 122 to see what comes as standard with each building.

INTEGRAL BASE

The integral base with drop door(s) and ramp is highly versatile, allowing installation on both soft ground and solid foundations. It runs around the entire perimeter of the greenhouse, while the dropped door design provides a ground-level threshold for effortless access.



HARD SURFACE

This option can be installed on any level, flat surface, including hard ground such as concrete or paving slabs. The greenhouse must be securely fixed down internally using the provided angle brackets (plugs and screws not included). The door(s) are lowered into the integral base for easy access.



SOFT SURFACE

The integral base can also be installed on soft ground, where the corner brackets/base legs (supplied as standard) must be concreted into the ground for stability. For greenhouses over 12' long, additional concrete anchor points are required.



Base Legs 400mm long



To prevent damage to the door-end cill on soft ground, you must install a row of flags, bricks, or use the Elite Soft Soil Support under the door cill. The Elite Soft Soil Support is available as an optional extra.

The Soft Soil Support runs the full width of the greenhouse. For demonstration purposes in the photo, it has been cut short to highlight the profile.

OVERHANGING 'Z' CILL

The overhanging 'Z' cill includes a section of aluminium extrusion that must overhang a brick, timber, or similar base. The brick base must be provided by the customer and built to the exact dimensions (see page 122) for your greenhouse. It must allow for a vertical up stand of at least 13mm. The tolerance is precise, so ensure these measurements are not exceeded.

Z CILLS CAN NOT BE FITTED DIRECTLY ONTO A FLAT SURFACE OR SOFT GROUND

Greenhouses with Z cills are supplied with internal fixing brackets as standard. However, plugs and screws are not included. Each fixing bracket is positioned where the vertical side glazing bar meets the bottom cill for secure installation.



OPTIONAL INTEGRAL BASE

In some cases, you can upgrade from the overhanging 'Z' cills to an integral base with drop door(s) and a cambered cill ramp. This upgrade replaces the 'Z' cill entirely with the integral base. For more details, refer to the information on the opposite page. Your retailer or Elite can confirm if this option is available, or you can refer to the chart on page 104 for further guidance.

SEPARATE ALUMINIUM BASE

A separate aluminium base is available as an optional extra for models with a 'Z' cill. This base is 125mm tall and runs around the entire perimeter of the greenhouse, creating a step over at the door end. It comes with base legs and corner brackets. Please note that angle brackets are included with the greenhouse but are not provided with base-only orders.

Like the integral base, the separate aluminium base can also be fitted onto both hard and soft surfaces.



DWARF WALL & SPECIAL DROP DOOR MODIFICATIONS

Dwarf wall and special drop door modification models are typically supplied with a 'Z' cill as standard. Upon receiving your order, Elite will provide a customer-specific base plan for your greenhouse. PLEASE NOTE: The dimensions in the brochure are NOT applicable for dwarf wall or special drop door modification models, so please wait for your custom base plan.

FLAT CILL WITH RAMP CILL


This cill is a flat cill that must be installed on a level, flat surface. Internal angle brackets are supplied as standard to facilitate fixing to a hard floor.

The flat cill is especially useful in the lean-to range, where height is a concern and the traditional aluminium base may be too tall. It's also a popular choice when the greenhouse is placed on a brick base perimeter that hasn't been built to exact base dimensions, as it allows the framework to sit flush with the brickwork without overhanging.


The door end cill is also flat, but includes a door track channel. A cambered cill is provided, making it easier to access the greenhouse or lean-to.



Flat Cill on a brick base




Angle Brackets



Flat Cills on a hard surface

EXAMPLES OF BASES



WHICH BOTTOM CILL IS STANDARD

MODEL	INTEGRAL BASE WITH DROP DOOR(S)	Z CILL	FLAT CILL	SEPARATE BASE
4' Compact	Standard			
4' Maxim	Standard			
5' Streamline	Standard			
5' Delta	Standard			
6' Craftsman	Standard			
6' High Eave	Standard			
6' Strata	Standard			
7' Vantage	Standard			
9' Belmont	Standard			
10' Supreme	Optional Upgrade	Standard	Optional Upgrade	
12' Classique	Optional Upgrade	Standard	Optional Upgrade	
6' GX600			Standard	
6' GX800			Standard	
6' Titan 600	Standard			
7' Titan 700	Standard			
8' Titan 800	Standard			
10' Titan 1000	Optional Upgrade	Standard	Optional Upgrade	
12' Titan 1200	Optional Upgrade	Standard	Optional Upgrade	
8' Zenith 800	Standard			
2' Easy Grow		Standard	Optional Upgrade	Optional Upgrade
4' Windsor		Standard	Optional Upgrade	Optional Upgrade
4' Kensington 4		Standard	Optional Upgrade	Optional Upgrade
6' Kensington 6		Standard	Optional Upgrade	Optional Upgrade
8' Titan K800	Optional Upgrade		Standard	
4' Edge 400	Standard			
6' Edge 600	Standard			
8' Edge 800	Standard			
6' Sanctuary 6	Standard			
8' Sanctuary 8	Standard			
Mini E Lite			Standard	

HYBRID ALUMINIUM PANELS

- Available on all Elite Greenhouses and Lean-Tos
- Extremely strong and virtually unbreakable on impact
- Lawn mower/Strimmer friendly
- Impact from a ball or stones will simply bounce off
- Replaces part of the side glass - 585mm tall
- Hides unsightly grow bags, pots and tools
- Attractive appearance and can be powder coated to suit your greenhouse and garden environment
- Choose bar capping as an optional extra to finish



Titan 800 12'X8' (Nominal), Graphite



Kensington 6 6'x8' (Nominal), Olive



Craftsman 4'x6' (Nominal), Brown



Strata 8'x6' (Nominal), Green



INTERNAL PARTITIONS

Internal partitions allow you to create two distinct growing environments within the same structure. Available on most Elite buildings, partitions offer flexibility for your greenhouse setup. They come as standard if your building is over 20' long.





Choose from 12 Irresistible Colours



THE PALETTE

Colour is one of the defining elements of a beautifully considered garden. It has the power to unify planting, soften architectural form, and create a natural harmony between structure and landscape.



CURATED FOR EVERY SETTING

Twelve colours has been selected to sit effortlessly within the garden setting—from soft, earthy tones of stone, cream and warm browns, to natural greens that echo the surrounding landscape, and on to deeper, more sophisticated shades such as graphite and berry.



DESIGNED TO COMPLEMENT

Whether designed to blend quietly into its surroundings or to stand as an elegant focal point, the right colour choice will bring depth, character, and enduring style to your garden.

EXPERTLY POWDER COATED

Our advanced 8-phase process delivers a high-quality, durable finish that's built to last.



PRE-TREATMENT

The critical pre-treatment step ensures a durable, high-quality finish. To prevent corrosion and improve adhesion, the aluminium is chemically pre-treated before coating.



POWDER APPLICATION

The aluminium then moves along a conveyor into the spray booth, where powder coating is applied. The powder is electrically charged and attracted to the grounded metal, creating a smooth, even finish across the entire surface.



OVEN-CURED

Finally, the coated aluminium is baked in an oven to cure and harden the finish – delivering excellent adhesion, impact resistance and corrosion protection.

DURABLE

|

WEATHER RESISTANCE

|

BEAUTIFUL FINISH



Not sure which colour?

SEE AND FEEL THE FINISH BEFORE YOU DECIDE

ORDER A FREE SAMPLE TODAY

01204 791488 enquiries@elite-greenhouses.co.uk



NATURAL GREENS

— INSPIRED BY NATURE —



Inspired by nature, our signature green finishes bring timeless elegance to your greenhouse.

A deep evergreen delivers strength and heritage, creating a bold classic structure.



Olive blends effortlessly into surrounding planting, bringing warmth and harmony.

Willow introduces a lighter, fresher tone - perfect for a softer, more contemporary feel.

Together, these tones create a beautifully balanced palette - designed to sit naturally within any garden landscape.



GREEN

Bold and traditional

OLIVE

Natural and grounding

WILLOW

Light and calming

COLOUR - MATCHED BAR CAPPING AVAILABLE

Designed to compliment your greenhouse or lean-to perfectly



GREEN



OLIVE



WILLOW



AVAILABLE ACROSS OUR FULL RANGE.

Request a colour sample today for a true colour

ORGANIC

I

CALM

I

BALANCED

EARTHY TONES

INSPIRED BY THE LANDSCAPE



Inspired by natural material, our earthy tones bring warmth and subtle elegance to your greenhouse.

Rich Brown introduces depth and structure, pairing beautifully with brick and timber.

A crisp, bright white that enhances light and creates a timeless finish.

A gentle off-white tone, Linen adds warmth, perfect for creating a relaxed and inviting greenhouse setting.

Balanced neutral Stone blends seamlessly into stonework and planting.

Mocha is a deeper, more architectural tone that adds quiet sophistication, to modern garden design.



BROWN

Rich and
grounding

WHITE

Clean and
classic

LINEN

Soft and
elegant

STONE

Subtle and
natural

MOCHA

Refined and
versatile

COLOUR - MATCHED BAR CAPPING AVAILABLE
Designed to compliment your greenhouse or lean-to perfectly



AVAILABLE ACROSS OUR FULL RANGE.

Request a colour sample today for a true colour

TIMELESS DARKS

INSPIRED BY MODERN LIVING

Inspired by design, our deeper finishes bring a bold and refined presence to your greenhouse.

Classic Black delivers timeless contrast and definition

Deep Graphite offers a softer, more contemporary edge.

Rich Berry introduces warmth and individuality.

Elegant Navy adds depth and sophistication.

Together these tones create a confident, architectural palette for modern outdoor spaces



BLACK

Bold and
timeless

GRAPHITE

Modern and
refined

NAVY

Deep and
sophisticated

BERRY

Rich and
distinctive

COLOUR - MATCHED BAR CAPPING AVAILABLE

Designed to compliment your greenhouse or lean-to perfectly



BLACK



GRAPHITE



NAVY



BERRY



AVAILABLE ACROSS OUR FULL RANGE. Request a colour sample today for a true colour

BOLD

I

REFINED

I

TIMELESS

I

ARCHITECTURAL

MAKE IT YOUR OWN

Choose any colour to match your garden, home, or style

Your greenhouse should be as individual as your garden.

At Elite, we've carefully selected what we believe are the best 'garden-friendly' colours. However, if you have a specific shade in mind — perhaps to match a favourite plant pot or window frame — we can accommodate that too. Simply provide the RAL number, and we'll match it for you.



Example shown in bespoke finish.

Bespoke colours will not have matching plastic moulding such as bar capping and nut caps

DUAL COLOUR DESIGN

Combine colours for a truly distinctive greenhouse




Colours used:
Green and Olive


Popular colour combinations

Add depth, contrast and character with a two-tone frame.

Pair complementary shades or create a bold statement - the choice is yours.



Colours used:
Black and White



Colours used:
Brown and Stone

Create your perfect greenhouse
Request a custom colour or speak to your retailer today.

SUGGESTED ACCESSORIES

Enhance your greenhouse with these popular add-ons

Staging and Shelving



Ventilation Control



Growing Essentials



ALUMINIUM CRESTINGS & FINIALS

A decorative finishing touch for your greenhouse

Cast aluminium - extremely strong
Available on all Elite free standing greenhouses
Create an individual and professional decorative finish
Can be powder coated in any of Elite's colours
Deterrent against cats and birds





EXTENSIONS

At Elite, expanding your greenhouse is a simple process! If you ever need more space later, we can add an extension section, tailored to any length you require, and it will be powder-coated to match your original colour seamlessly.

All you need to worry about then is what to fill it with!



“I just haven’t got enough room for all my plants.”
“I wish I’d purchased a bigger greenhouse.”



CONSTRUCTION

We are here to help!

While our greenhouses have always been designed for self-assembly, we understand that some customers prefer to have a professional installer handle the build. Many retailers offer installation services, so be sure to ask if that's an option for you. However, if you prefer to build it yourself, rest assured that each greenhouse comes with a comprehensive set of written instructions. Plus, we offer helpful video guides on our website to assist you throughout the process.

We recommend taking your time during the build process, as for many, constructing the greenhouse is part of the fun and satisfaction of owning one. Remember, we're here to help! If you need any advice or technical support along the way, don't hesitate to reach out—we're always happy to assist.



There are short videos for the various aspects of building each section too. www.elite-greenhouses.co.uk



TOOLS NEEDED

Step ladders, M6 – M10 spanner, Pozi driv screwdriver, gloves, goggles

MAINTENANCE

Regular maintenance is key to keeping your Elite Greenhouse in great condition for years to come. Cleaning your greenhouse not only improves the light levels for your plants but also helps control pests and diseases by removing algae, moss, and grime. It's a simple task that pays off by providing a healthier growing environment and extending the life of your greenhouse.

- First remove any plants temporarily.
- Use a brush to sweep down any table tops, remove cobwebs from the corners and clear all debris from the floor.
- To maximize light, clean both the inside and outside of your greenhouse windows. Use a microfiber cloth and hot soapy water with a sponge. Rinse with clean water and let dry. This will help keep your greenhouse in top condition.
- You can now use a commercial antibacterial spray to wipe down staging and shelves (read the instructions on the label).
- Disinfect any empty pots and tools.
- Remember to take care using ladders. Make sure they are placed on steady ground and wear shoes with good grips.

WHERE TO BUY

Find your local dealer

Visit our website and use the "Find Your Dealer" tool by entering your postcode to locate nearby retailers within your preferred mileage range. You can also contact us via phone or email for assistance. We only sell through authorised dealers, who are ready to assist you with all your needs.



DELIVERY

We use our own fleet of vehicles and drivers



Height: 11'4", Length: 30', Width: 8'6" Class II - 15 tonne (similar in dimension to a furniture removal van)

How will my greenhouse be delivered?

All greenhouses are shipped from our Lancashire factory. Most are delivered nationwide using our own fleet, though some retailers handle delivery themselves or arrange installation for you. Despite the greenhouse's size, the delivery is relatively compact, with the frame and accessories being long and narrow. Horticultural glass is wrapped in cardboard, while toughened safety glass is loose and should be leaned against something.

Access to my property is restricted what happens then?

Our delivery vehicles are purpose-built, Class II, non-articulated 15-tonne trucks, similar in size to a furniture removal van. If our vehicle cannot access your location, please contact your retailer to discuss alternative delivery options and confirm your postcode for the delivery route.

Can we find you?

If your property is difficult to find, has access or parking restrictions, or a house name, please complete the 'Help the Driver' form. This helps address any potential issues before the driver sets off.

Once I've placed my order how quick will my greenhouse be delivered?

Our lead times are for guidance only and may vary throughout the year due to the seasonal nature of the product. Please inform your retailer right away of any unsuitable dates or restrictions you may have.

Will I be notified of my delivery date and if so do I need to sit in and wait?

If Elite is handling the delivery, we will notify you approximately 10 days in advance. Our drivers are experienced with delivering to unattended properties and will leave the greenhouse in your designated location for you to inspect upon your return. Restrictions may apply.



DELIVERING EXCELLENCE
QUALITY • RELIABILITY • SERVICE

TECHNICAL INFO


GREENHOUSES

Long lengths are available on every model listed.

Please contact your supplier for a base plan for any size or modified greenhouse (drop door, dwarf wall, partition, etc.) not listed on this page.

These are the exact base dimensions for Elite range. The following measurements are external dimensions. All measurements are in millimetres (mm)

PLEASE NOTE: THE GUTTER OVER HANGS BY 38MM EACH SIDE



KEY

- : Standard Features
- : Optional Extra

SD - L : Single Door available on Length only
 SD - W : Single Door available on Width only
 SD - LW : Single Door available on Length and/or Width
 O - DD : Optional Double Door on Length (and/or Width if over 8')

IB : Integral Base
 O - IB : Optional Integral Base
 O - SB : Optional 5" Separate Aluminum Base
 R - BB : Recommended Brick Base
 BRK : Brick Wall

When constructing a wall please only build your brick base once you have an official base plan from Elite.

Nominal Size (ft)	Model Name	A (mm)	B (mm)	C (mm)	E (mm)	F (mm)	Door Height x Width	Single Door	Double Door	Base	Low Threshold Door	Roof Vents	Louvre Vents	Shelf	Bar Capping	Crestings & Finials	Partition	Dwarf Wall
4 x 2	Min E Lite	702	1320	1494	430 with IB	685 with IB	N/A			Flat Cill		2			○	○		
6 x 2	Min E Lite	702	1938	2061								3			○	○		
8 x 2	Min E Lite	702	2556	2650								4			○	○		
4 x 4	Compact	1300	1351	1874	1553 with IB	2122 with IB	Double 1750 x 600		●	IB	●	1	○	○	○	○		○
6 x 4	Compact	1300	1971	2361					●		●	1	○	○	○	○		○
8 x 4	Compact	1300	2589	2897					●		●	1	○	○	○	○		○
4 x 4	Maxim	1300	1351	1874	1726 with IB	2300 with IB	Double 1910 x 600		●	IB	●	1	○	○	○	○		○
6 x 4	Maxim	1300	1971	2361					●		●	1	○	○	○	○		○
8 x 4	Maxim	1300	2589	2897					●		●	1	○	○	○	○		○
4 x 5	Streamline	1590	1351	2086	1425 with IB	2122 with IB	Double 1750 x 600		●	IB	●	1	○	○	○	○		○
6 x 5	Streamline	1590	1971	2532					●		●	1	○	○	○	○		○
8 x 5	Streamline	1590	2589	3038					●		●	1	○	○	○	○		○
4 x 5	Delta	1590	1351	2086	1726 with IB	2420 with IB	Double 1910 x 600		●	IB	●	1	○	○	○	○		○
6 x 5	Delta	1590	1971	2532					●		●	1	○	○	○	○		○
8 x 5	Delta	1590	2589	3038					●		●	1	○	○	○	○		○
4 x 6	Craftsman	1900	1351	2331	1292 with IB	2122 with IB	Single 1750 x 600	●		IB	●	1	○	○	○	○		○
6 x 6	Craftsman	1900	1971	2737				●			●	1	○	○	○	○		○
8 x 6	Craftsman	1900	2589	3211				●			●	2	○	○	○	○		○
10 x 6	Craftsman	1900	3205	3725				●			●	2	○	○	○	○		○
12 x 6	Craftsman	1900	3823	4269				●			●	2	○	○	○	○		○
4 x 6	High Eave	1900	1351	2331	1585 with IB	2420 with IB	Single 1910 x 600	●		IB	●	1	○	○	○	○	○	○
6 x 6	High Eave	1900	1971	2737				●			●	1	○	○	○	○	○	○
8 x 6	High Eave	1900	2589	3211				●			●	2	○	○	○	○	○	○
10 x 6	High Eave	1900	3205	3725				●			●	2	○	○	○	○	○	○
12 x 6	High Eave	1900	3823	4269				●			●	2	○	○	○	○	○	○
4 x 6	Strata	1900	1351	2331	1585 with IB	2420 with IB	Double 1910 x 840		●	IB	●	1	○	○	○	○	○	○
6 x 6	Strata	1900	1971	2737					●		●	1	○	○	○	○	○	○
8 x 6	Strata	1900	2589	3211					●		●	2	○	○	○	○	○	○
10 x 6	Strata	1900	3205	3725					●		●	2	○	○	○	○	○	○
12 x 6	Strata	1900	3823	4269					●		●	2	○	○	○	○	○	○
6 x 7	Vantage	2225	1971	2972	1585 with IB	2370 with IB	Double 1910 x 890		●	IB	●	1	○	○	○	○	○	○
8 x 7	Vantage	2225	2589	3413					●		●	2	○	○	○	○	○	○
10 x 7	Vantage	2225	3205	3901					●		●	2	○	○	○	○	○	○
12 x 7	Vantage	2225	3823	4423					●		●	2	○	○	○	○	○	○
14 x 7	Vantage	2225	4441	4967					●		●	3	○	○	○	○	○	○
16 x 7	Vantage	2225	5059	5526					●		●	4	○	○	○	○	○	○
18 x 7	Vantage	2225	5677	6097					●		●	5	○	○	○	○	○	○
20 x 7	Vantage	2225	6295	6676					●		●	6	○	○	○	○	○	○
6 x 8	Belmont	2545	1971	3218	1585 with IB	2475 with IB	Single 1910 x 600	●	○	IB	●	1	○	○	○	○	○	○
8 x 8	Belmont	2545	2589	3630				●	○		●	2	○	○	○	○	○	○
10 x 8	Belmont	2545	3205	4092				●	○		●	2	○	○	○	○	○	○
12 x 8	Belmont	2545	3823	4592				●	○		●	2	○	○	○	○	○	○
14 x 8	Belmont	2545	4441	5118				●	○		●	3	○	○	○	○	○	○
16 x 8	Belmont	2545	5059	5663				●	○		●	4	○	○	○	○	○	○
18 x 8	Belmont	2545	5677	6221				●	○		●	5	○	○	○	○	○	○
20 x 8	Belmont	2545	6295	6789				●	○		●	6	○	○	○	○	○	○
10 x 10	Supreme	3195	3194	4517	1345 ExBase	2420 Ex Base	Double 1750 x 890 Ex Base		●	O-IB	○	2	2	8' Diamond Shelf	○	○	○	○
12 x 10	Supreme	3195	3812	4974					●		○	2	2		○	○	○	○
14 x 10	Supreme	3195	4430	5462					●		○	3	2		○	○	○	○
16 x 10	Supreme	3195	5048	5974					●		○	4	2		○	○	○	○
18 x 10	Supreme	3195	5666	6505					●		○	4	2		○	○	○	○
20 x 10	Supreme	3195	6284	7050					●		○	4	2		○	○	○	○

Nominal Size (ft)	Model Name	A (mm)	B (mm)	C (mm)	E (mm)	F (mm)	Door Height x Width	Single Door	Double Door	Base	Low Threshold Door	Roof Vents	Louvre Vents	Shelf	Bar Capping	Crestings & Finials	Partition	Dwarf Wall
10 x 12	Classique	3804	3194	4967	1345 ExBase	2630 Ex Base	Double 1750 x 1200 Ex Base		●	O-IB	○	2	2	Diamond Shelf	○	○	○	○
12 x 12	Classique	3804	3812	5385					●		○	2	2		○	○	○	○
14 x 12	Classique	3804	4430	5839					●		○	3	2		○	○	○	○
16 x 12	Classique	3804	5048	6320					●		○	4	2		○	○	○	○
18 x 12	Classique	3804	5666	6825					●		○	4	2		○	○	○	○
20 x 12	Classique	3804	6284	7346					●		○	4	2		○	○	○	○
4 x 6	GX600	1936	1373	2373	1631	2470	Double 1910 x 840		●	No Base required	●	1	2	6' Diamond Shelf	●	○	○	○
6 x 6	GX600	1936	1993	2779					●		●	1	2		●	○	○	○
8 x 6	GX600	1936	2611	3250					●		●	2	2		●	○	○	○
10 x 6	GX600	1936	3227	3763					●		●	2	2		●	○	○	○
12 x 6	GX600	1936	3845	4305					●		●	2	2		●	○	○	○
6 x 8	GX800	2586	1993	3263	1631	2510	Double 1910 x 1150		●	No Base required	●	1	2	8' Diamond Shelf	●	○	○	○
8 x 8	GX800	2586	2611	3673					●		●	2	2		●	○	○	○
10 x 8	GX800	2586	3227	4134					●		●	2	2		●	○	○	○
12 x 8	GX800	2586	3845	4632					●		●	2	2		●	○	○	○
14 x 8	GX800	2586	4461	5155					●		●	4	2		●	○	○	○
16 x 8	GX800	2586	5079	5698					●		●	4	2		●	○	○	○
18 x 8	GX800	2586	5697	6255					●		●	6	2		●	○	○	○
20 x 8	GX800	2586	6315	6823					●		●	6	2		●	○	○	○
6 x 6	Titan 600	1900	1971	2737	1585 with IB	2420 with IB	Double 1910 x 840		●	IB	●	1	1	○	●	○	○	○
8 x 6	Titan 600	1900	2589	3211					●		●	2	1	○	●	○	○	○
10 x 6	Titan 600	1900	3205	3725					●		●	2	1	○	●	○	○	○
12 x 6	Titan 600	1900	3823	4269					●		●	2	1	○	●	○	○	○
6 x 7	Titan 700	2225	1971	2972	1585 with IB	2410 with IB	Double 1910 x 840	○	●	●	●	1	1	○	●	○	○	○
8 x 7	Titan 700	2225	2589	3413				○	●	●	●	2	1	○	●	○	○	○
10 x 7	Titan 700	2225	3205	3901				○	●	●	●	2	1	○	●	○	○	○
12 x 7	Titan 700	2225	3823	4423				○	●	●	●	2	1	○	●	○	○	○
14 x 7	Titan 700	2225	4441	4967				○	●	●	●	3	1	○	●	○	○	○
16 x 7	Titan 700	2225	5059	5526				○	●	●	●	4	1	○	●	○	○	○
18 x 7	Titan 700	2225	5677	6097				○	●	●	●	5	1	○	●	○	○	○
20 x 7	Titan 700	2225	6295	6676				○	●	●	●	6	1	○	●	○	○	○
6 x 8	Titan 800	2545	1971	3218	1585 with IB	2475 with IB	Double 1910 x 1150		●	IB	●	1	1	○	●	○	○	○
8 x 8	Titan 800	2545	2589	3630					●		●	2	1	○	●	○	○	○
10 x 8	Titan 800	2545	3205	4092					●		●	2	1	○	●	○	○	○
12 x 8	Titan 800	2545	3823	4592					●		●	2	1	○	●	○	○	○
14 x 8	Titan 800	2545	4441	5118					●		●	4	1	○	●	○	○	○
16 x 8	Titan 800	2545	5059	5663					●		●	4	1	○	●	○	○	○
18 x 8	Titan 800	2545	5677	6221					●		●	6	1	○	●	○	○	○
20 x 8	Titan 800	2545	6295	6789					●		●	6	1	○	●	○	○	○
10 x 10	Titan 1000	3195	3194	4517	1345 Ex Base	2460 Ex Base	Double 1910 x 840		●	O - IB	●	2	1	○	●	○	○	○
12 x 10	Titan 1000	3195	3812	4974					●		●	2	1	○	●	○	○	○
14 x 10	Titan 1000	3195	4430	5462					●		●	4	1	○	●	○	○	○
16 x 10	Titan 1000	3195	5048	5974					●		●	4	1	○	●	○	○	○
18 x 10	Titan 1000	3195	5666	6505					●		●	6	2	○	●	○	○	○
20 x 10	Titan 1000	3195	6284	7050					●		●	6	2	○	●	○	○	○
10 x 12	Titan 1200	3804	3194	4967	1345 Ex Base	2670 Ex Base	Double 1910 x 1150		●	O - IB	●	2	1	○	●	○	○	○
12 x 12	Titan 1200	3804	3812	5385					●		●	2	1	○	●	○	○	○
14 x 12	Titan 1200	3804	4430	5839					●		●	4	1	○	●	○	○	○
16 x 12	Titan 1200	3804	5048	6320					●		●	4	1	○	●	○	○	○
18 x 12	Titan 1200	3804	5666	6825					●		●	6	2	○	●	○	○	○
20 x 12	Titan 1200	3804	6284	7346					●		●	6	2	○	●	○	○	○
6 x 8	Zenith 800	2545	1979	3224	1583	3160	Double 1910 x 840		●	IB	●	2	1	○	●	●	○	○
9 x 8	Zenith 800	2545	2909	3865					●		●	2	1	○	●	●	○	○
12 x 8	Zenith 800	2545	3839	4606					●		●	2	1	○	●	●	○	○
15 x 8	Zenith 800	2545	4769	5406					●		●	4	1	○	●	●	○	○
18 x 8	Zenith 800	2545	5695	6238					●		●	6	1	○	●	●	○	○
4 x 6	Thyme 6 - Floor	1900	1351	2331	1585 with IB	2420 with IB	Double 1910 x 600		●	IB	●	1	2	6' Diamond Shelf	○	●	○	○
6 x 6	Thyme 6 - Floor	1900	1971	2737					●		●	1	2		○	●	○	○
8 x 6	Thyme 6 - Floor	1900	2589	3211					●		●	2	2		○	●	○	○
10 x 6	Thyme 6 - Floor	1900	3205	3725					●		●	2	2		○	●	○	○
12 x 6	Thyme 6 - Floor	1900	3823	4269					●		●	2	2		○	●	○	○
6 x 8	Thyme 8 - Floor	2545	1971	3218	1585 with IB	2480 with IB	Double 1910 x 890		●	IB	●	1	2	8' Diamond Shelf	○	●	○	○
8 x 8	Thyme 8 - Floor	2545	2589	3630					●		●	2	2		○	●	○	○
10 x 8	Thyme 8 - Floor	2545	3205	4092					●		●	2	2		○	●	○	○
12 x 8	Thyme 8 - Floor	2545	3823	4592					●		●	2	2		○	●	○	○
14 x 8	Thyme 8 - Floor	2545	4441	5118					●		●	4	2		○	●	○	○
16 x 8	Thyme 8 - Floor	2545	5059	5663					●		●	4	2		○	●	○	○
18 x 8	Thyme 8 - Floor	2545	5677	6221					●		●	6	2		○	●	○	○
20 x 8	Thyme 8 - Floor	2545	6295	6789					●		●	6	2		○	●	○	○

TECHNICAL INFO

SANCTUARY

Long lengths are available on every model listed.


The following measurements are external dimensions.

All measurements are in millimetres (mm)

PLEASE NOTE: THE GUTTER OVER HANGS BY 38MM EACH SIDE

If double doors are required on the gable/front **and** side/ under the gutter, 50mm is added to the relevant measurement, i.e. if extra gable doors are fitted add 50mm to (B) measurement.

If you are unsure please do not hesitate to contact the office



Nominal Size (ft)	Model Name	A (mm)	B (mm)	C (mm)	E (mm)	F (mm)	Door Height x Width	1 x Double Door	Base	Low Threshold Door	Roof Vents	Louvre Vents	Shelf	Bar Capping	Crestings & Finials	Partition	Dwarf Wall
6 x 6	Sanctuary 6	1920	1973	2753	2025 with IB	2420 with IB	1 Set Double Doors Gable (No side doors) 1910 x 840	●	Integral Base	●	1	2	○	●	○	○	○
8 x 6	Sanctuary 6	1920	2591	3225				●		●	2	2	○	●	○	○	○
10 x 6	Sanctuary 6	1920	3209	3740				●		●	2	2	○	●	○	○	○
12 x 6	Sanctuary 6	1920	3827	4282				●		●	2	2	○	●	○	○	○
14 x 6	Sanctuary 6	1920	4445	4842				●		●	4	2	○	●	○	○	○
16 x 6	Sanctuary 6	1920	5063	5415				●		●	4	2	○	●	○	○	○
18 x 6	Sanctuary 6	1920	5681	5997				●		●	6	2	○	●	○	○	○
20 x 6	Sanctuary 6	1920	6299	6585				●		●	6	2	○	●	○	○	○

6 x 6	Sanctuary 6	1973	1918	2752	2025 with IB	2420 with IB	Double Doors Under Gutter (No gable doors) 1910 x 1150	●	Integral Base	●	1	2	○	●	○	○	○
8 x 6	Sanctuary 6	1973	2538	3215				●		●	2	2	○	●	○	○	○
10 x 6	Sanctuary 6	1973	3156	3722				●		●	2	2	○	●	○	○	○
12 x 6	Sanctuary 6	1973	3774	4259				●		●	2	2	○	●	○	○	○
14 x 6	Sanctuary 6	1973	4392	4815				●		●	4	2	○	●	○	○	○
16 x 6	Sanctuary 6	1973	5010	5384				●		●	4	2	○	●	○	○	○
18 x 6	Sanctuary 6	1973	5628	5964				●		●	6	2	○	●	○	○	○
20 x 6	Sanctuary 6	1973	6246	6550				●		●	6	2	○	●	○	○	○

Nominal Size (ft)	Model Name	A (mm)	B (mm)	C (mm)	E (mm)	F (mm)	Door Height x Width	1 x Double Door	Base	Low Threshold Door	Roof Vents	Louvre Vents	Shelf	Bar Capping	Crestings & Finials	Partition	Dwarf Wall
6 x 8	Sanctuary 8	2538	1973	3215	2025 with IB	2540 with IB	1 Set Double Doors Gable (No side doors) 1910 x 1150	●	Integral Base	●	1	2	○	●	○	○	○
8 x 8	Sanctuary 8	2538	2591	3627				●		●	2	2	○	●	○	○	○
10 x 8	Sanctuary 8	2538	3209	4091				●		●	2	2	○	●	○	○	○
12 x 8	Sanctuary 8	2538	3827	4592				●		●	2	2	○	●	○	○	○
14 x 8	Sanctuary 8	2538	4445	5119				●		●	4	2	○	●	○	○	○
16 x 8	Sanctuary 8	2538	5063	5664				●		●	4	2	○	●	○	○	○
18 x 8	Sanctuary 8	2538	5681	6222				●		●	6	2	○	●	○	○	○
20 x 8	Sanctuary 8	2538	6299	6791				●		●	6	2	○	●	○	○	○

6 x 8	Sanctuary 8	2591	1918	3224	2025 with IB	2540 with IB	Double Doors Under Gutter (No gable doors) 1910 x 1150	●	Integral Base	●	1	2	○	●	○	○	○
8 x 8	Sanctuary 8	2591	2538	3627				●		●	2	2	○	●	○	○	○
10 x 8	Sanctuary 8	2591	3156	4083				●		●	2	2	○	●	○	○	○
12 x 8	Sanctuary 8	2591	3774	4578				●		●	2	2	○	●	○	○	○
14 x 8	Sanctuary 8	2591	4392	5099				●		●	4	2	○	●	○	○	○
16 x 8	Sanctuary 8	2591	5010	5640				●		●	4	2	○	●	○	○	○
18 x 8	Sanctuary 8	2591	5628	6196				●		●	6	2	○	●	○	○	○
20 x 8	Sanctuary 8	2591	6246	6762				●		●	6	2	○	●	○	○	○

TECHNICAL INFO


LEAN TO

Long lengths are available on every model listed.

Please contact your supplier for a base plan for any size or modified greenhouse (drop door, dwarf wall, partition, etc.) not listed on this page.

These are the exact base dimensions for Elite range. The following measurements are external dimensions.

All measurements are in millimetres (mm)



PLEASE NOTE: THE GUTTER OVER HANGS BY 38MM EACH SIDE

KEY

- : Standard Features
- : Optional Extra

SD - L : Single Door available on Length only
 SD - W : Single Door available on Width only
 SD - LW : Single Door available on Length and/or Width
 O - DD : Optional Double Door on Length (and/or Width if over 8')

IB : Integral Base
 O - IB : Optional Integral Base
 O - SB : Optional 5" Separate Aluminum Base
 R - BB : Recommended Brick Base
 BRK : Brick Wall

When constructing a wall please only build your brick base once you have an official base plan from Elite. If you have anything overhanging the ridge on a Lean-To, please allow 1" (25mm) height clearance for the roof vent.

Nominal Size (ft)	Model Name	L (mm)	M (mm)	N (mm)	O (mm)	P (mm)	Door Height x Width	Single Door	Double Door	Base	Low Threshold Door	Roof Vents	Louvre Vents	Shelf	Bar Capping	Crestings & Finials	Partition	Dwarf Wall
4 x 2	Easygrow	670	1346	1504	1830 Ex Base	1590 Ex Base	Single 1500 x 600	●	SD - L	O - SB	○	1	○	○	○			○
6 x 2	Easygrow	670	1964	2067			Double 1500 x 1200 Ex Base	●			○	1	○	○	○			○
8 x 2	Easygrow	670	2582	2668				Double			○	1	○	○	○			○
6 x 4	Windsor	1297	1960	2349	2010 Ex Base	1590 Ex Base	1600 x 600 Ex Base	●	SD - W	O - SB	○	1	○	○	○			○
8 x 4	Windsor	1297	2578	2885				●			○	1	○	○	○			○
10 x 4	Windsor	1297	3196	3448				●			○	1	○	○	○			○
12 x 4	Windsor	1297	3814	4028				●			○	1	○	○	○			○
6 x 4	Kensington	1297	1960	2349	2235 Ex Base	1800 Ex Base	Single 1750 x 600	●	SD-LW O - DD	O - SB	○	1	1	4' Extruded Shelf	○			○
8 x 4	Kensington	1297	2578	2885			Double 750x1200 Ex base	●			○	1	1		○			○
10 x 4	Kensington	1297	3196	3448				●			○	1	1		○			○
12 x 4	Kensington	1297	3814	4028				●			○	1	1		○			○
6 x 6	Kensington	1915	1960	2740	2400 Ex Base	1800 Ex Base	Single 1750 x 600	●	SD-LW O - DD	O - SB	○	1	1	6' Extruded Shelf	○		○	○
8 x 6	Kensington	1915	2578	3211			Double 1750x1200 Ex Base	●			○	1	1		○		○	○
10 x 6	Kensington	1915	3196	3725				●			○	1	1		○		○	○
12 x 6	Kensington	1915	3814	4267				●			○	1	1		○		○	○
6 x 8	Titan K800	2534	1991	3223	2743 Ex Base	1950 Ex Base	Double 1910x1150 Ex Base	Double Door	Gable Double Doors	No Base required O - BIB	●	1	1	8' Diamond Shelf	○		○	○
8 x 8	Titan K800	2534	2609	3637							●	1	1		○		○	○
10 x 8	Titan K800	2534	3227	4103							●	1	1		○		○	○
12 x 8	Titan K800	2534	3845	4605							●	1	1		○		○	○
14 x 8	Titan K800	2534	4463	5132							●	2	1		○		○	○
16 x 8	Titan K800	2534	5081	5678							●	2	1		○		○	○
18 x 8	Titan K800	2534	5699	6237							●	3	1		○		○	○
20 x 8	Titan K800	2534	6319	6809							●	3	1		○		○	○
6 x 8	Titan K800	2569	1954	3228	2743 Ex Base	1950 Ex Base	Double 1910x1150 Ex Base	Double Door	Front Double Doors	No Base required O - BIB	●	1	1	8' Diamond Shelf	○		○	○
8 x 8	Titan K800	2569	2572	3635							●	1	1		○		○	○
10 x 8	Titan K800	2569	3190	4096							●	1	1		○		○	○
12 x 8	Titan K800	2569	3808	4594							●	1	1		○		○	○
14 x 8	Titan K800	2569	4426	5118							●	2	1		○		○	○
16 x 8	Titan K800	2569	5044	5661							●	2	1		○		○	○
18 x 8	Titan K800	2569	5662	6218							●	3	1		○		○	○
20 x 8	Titan K800	2569	6280	6758							●	3	1		○		○	○

		Excluding Overhang			Including Overhang	Including Integral Base												
8 x 4	Edge 400	1355	2538	2877	2410	1890	Double 1910x1150	D D Situated on the length	Integral Base	●	Two Hinged Front Vents	1	○	●				
10 x 4	Edge 400	1355	3156	3435	2410	1890				●		1	○	●				
12 x 4	Edge 400	1355	3774	4010	2410	1890				●		1	○	●				
14 x 4	Edge 400	1355	4392	4596	2410	1890				●		1	○	●				
8 x 6	Edge 600	1975	2538	3216	2580	1890	Double 1910x1150	D D Situated on the length	Integral Base	●	Two Hinged Front Vents	1	○	●				
10 x 6	Edge 600	1975	3156	3723	2580	1890				●		1	○	●				
12 x 6	Edge 600	1975	3774	4260	2580	1890				●		1	○	●				
14 x 6	Edge 600	1975	4392	4816	2580	1890				●		1	○	●				
8 x 8	Edge 800	2593	2538	3628	2790	1890	Double 1910x1150	D D Situated on the length	Integral Base	●	Two Hinged Front Vents	1	○	●				
10 x 8	Edge 800	2593	3156	4085	2790	1890				●		1	○	●				
12 x 8	Edge 800	2593	3774	4579	2790	1890				●		1	○	●				
14 x 8	Edge 800	2593	4392	5100	2790	1890				●		1	○	●				

Our Factory in Lancashire



01204 791488

enquiries@elite-greenhouses.co.uk | www.elite-greenhouses.co.uk